



GLOBAL COMMUNICATION SERVICES

VERTEL V2

User Guide & Quick Reference Manual



Global Communication Services Authorized Vertel Dealer

Plot No. 239, Industrial Area, Phase-9, Mohali-160062
Mobile: +91-9872599700 | Email: gcsignals@gmail.com
Website: globalcommunicationservices.co.in

Product information in this guide is based on the Vertel V2 product brochure supplied for this manual. For any feature or procedure not covered here, refer to the original manufacturer documentation.

1. Product Overview

The Vertel V2 is a PMR446 license-free two-way radio designed for convenient communication in outdoor, business and team environments. The product brochure states that it is approved by the Government of India under Order No. 1047(E).

Feature	Vertel V2
Radio type	PMR446 license-free two-way radio
Battery	3000mAh
Display	LCD display
Charging	USB-C charging
Tone codes	50 CTCSS / 105 CDCSS
Lighting	Built-in flashlight
Protection	Water & dust resistant
Audio	Crisp & clear voice
Performance	Long-range performance

2. Controls & Display

The V2 product image shows an LCD display and front-panel controls labelled CALL, MENU, MON/Scan, up/down navigation and a dedicated function button. The display provides at-a-glance information for radio operation. Button-specific procedures should be followed from the original manufacturer manual supplied with the unit.

3. Basic Use

- Power: Turn the radio on using the power control and allow the display to initialize.
- Channel: Select the same communication channel on the radios that need to communicate.
- Talk: Press the push-to-talk control, speak clearly, then release it to listen.
- Volume: Set a comfortable listening level before starting work or an activity.
- Codes: Where CTCSS/CDCSS is being used, all radios in the communicating group must use matching settings.

Important: The steps above are a quick-use guide, not a substitute for the manufacturer's detailed operating instructions.

4. Key Features

3000mAh Battery	Long-lasting power for everyday use.
USB-C Charging	Convenient charging through USB-C.
LCD Display	Easy-to-read information during operation.
50 CTCSS / 105 CDCSS	Multiple tone-code options for communication groups.
Built-in Flashlight	Useful integrated light when additional illumination is needed.
Water & Dust Resistant	Designed for use in a range of work and outdoor conditions.
Crisp & Clear Voice	Designed for clear audio during communication.

5. Charging & Battery Care

- Use the supplied charging arrangement and USB-C connection as applicable to the unit.
- Keep the charging connector clean and dry before charging.
- Avoid exposing the radio or charging connection to unnecessary moisture while charging.
- For battery replacement or servicing, contact the dealer/service provider rather than attempting internal repairs.

6. Care & Handling

- Keep the radio clean and free from excessive dust and dirt.
- Do not drop, crush or disassemble the radio.
- Keep the radio away from unnecessary heat and prolonged direct sunlight.
- If the radio becomes wet, allow it to dry appropriately before connecting it to a charger.
- For faults or servicing, contact Global Communication Services.

7. Recommended Applications

Outdoor Adventures	Camping & Hiking	Events & Activities
Retail & Hospitality	Security & Surveillance	Team & Work Coordination

8. Product Information

The Vertel V2 brochure identifies the radio as a PMR446 license-free two-way radio and states that it is approved by the Government of India under Order No. 1047(E). It lists a 3000mAh battery, LCD display, USB-C charging, 50 CTCSS / 105 CDCSS, built-in flashlight and water & dust resistance.

9. Support & Purchase Assistance

Global Communication Services

Authorized Vertel Dealer

Plot No. 239, Industrial Area, Phase-9, Mohali-160062

Mobile: +91-9872599700

Email: gcssignals@gmail.com

Website: globalcommunicationservices.co.in

For the latest availability, pricing, servicing or product assistance, contact Global Communication Services.

Document prepared by Global Communication Services • Product: Vertel V2 • Version 1.0 • October 2026